

# *The Hodder Valley Agricultural and Horticultural Society Ltd.*

Company no. 5328212

Charity no. 1108592

## **TRADE STAND HEALTH AND SAFETY DECLARATION.**

I have read and understood the Health & Safety Policy Document. And I agree on behalf the Trader to abide by the principles of the Policy.

I also agree to abide by the following: -

### **INDEMNIFICATION**

The Committee will exercise all reasonable care for comfort and safety of exhibits entrusted to them, but the Society will not be responsible for the entire or partial loss, non-staging or detention of, or damage to any Trade Stand Exhibits, or to any person or property, whether arising from accident or other persons or from any other cause. Further, it is a condition of entry that each Exhibitor will hold the Society blameless and will indemnify them against legal proceedings and also against compensation for damage arising out of, in consequence of, or in connection with any such accident, loss or damage.

Signed..... Date.....

Print Name.....

Company Name.....

**Exhibitors are strongly advised, to make their own security arrangements to safeguard their property as the Show Society will not accept responsibility for any losses.**

### **ELECTRICAL REQUIREMENTS-** please read and complete the following:

- The use of the generators supplied by The Hodder Valley Agricultural And Horticultural Society is **mandatory.**
- The electrical supply will be in the form of 240 volts.** If your requirement is any different please contact one of the trade stand secretaries.
- All electrical equipment must be PAT tested by an approved Electrician.**
- The plug you use must be of an industrial type, suitable for your voltage requirements, be **approved to EN60309-2 standards** and have an **IP 44 splash proof rating.**
- A £50 charge per Trade Stand is payable for electrical supply.** Please forward your payment with this declaration
- Your electrical equipment may be inspected by a Health and Safety Officer on Show Day and any equipment not meeting satisfactory standards will be deemed unfit for use.

I do / do not require an electrical supply to run my trade stand.

Number of power points required .....

OR /

kwatts required .....